ORDER FOR SUPPLIES OR SERVICES									PAGE 1 OF 6			
1. CONTRACT PURCH ORDER/AGREEMENT NO. 2. DELIVERY ORDER/C.				/CALL NO.	(YYYYMMMDD)			QUEST NO.	5. PRIORITY			
DAAE20-02-G-0009 BR2C 6. ISSUED BY CODE W56HZV				7. ADMINIST	2004FEB06 FERED BY (If other	<u>_</u>			2305A	DOA4 8. DELIVERY FOB		
TACOM WARREN BLDG 231 AMSTA-AQ-AHPB DEBORAH ROTH (586)574-8055 WARREN, MICHIGAN 48397-5000 EMAIL: ROTHD@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL				DCM U.S (' ATT WAR	DCMA DETROIT U.S. ARMY TANK & AUTOMOTIVE COMMAND (TACOM) ATTN: DCMAE-GJD WARREN, MI 48397-5000					DESTINATION X OTHER (See Schedule if		
9. CONTR	ACTOR			CODE	7W356	SCD: A FACIL			ELIVER TO F	ADP PT: HQ033 OB POINT BY (Date)		other) 11. X IF BUSINESS IS
	•					•	•	(Y	YYYMMMDI))		SMALL
			OYNAMICS LAND SY JND ROAD	/STEMS]	INC.			SEE	SCHEDULE	3		SMALL
NAME AND ADDRESS	STERLI		HEIGHTS, MI. 48	3310-326	50			12. DI	ISCOUNT TEI	RMS		DISADVANTAGED WOMAN-OWNED
	_							13. M	AIL INVOICE	S TO THE ADDRESS	IN BLOCK	
	TYPE B	BUSI	INESS: Large Bus	siness I	Performing	g in U.S.	•	See	Block 15	5		
14. SHIP 7	го			CODE			T WILL BE MADE	BY		COD	DE HQ0337	MARK ALL
SEE	SCHEDULE					DFA P.O	AS - COLUMBUS AS-CO/NORTH EI D. BOX 182266 JUMBUS OH	NTITLE	EMENT OPER	RATION		PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2
16. TYPE	DELIVERY/ CALL	х	THIS DELIVERY ORDE	R IS ISSUED	ON ANOTHER (GOVERNMENT AG	GENCY OR IN ACCOR	DANCE W	TTH AND SUBJE	ECT TO TERMS AND COM	NDITIONS OF ABOV	E NUMBERED CONTRACT.
OF ORDER	PURCHASE		Reference your	Oral			s specified herein.	, D	Pated			
				E CONTRA	CTOR HEREI	BY ACCEPTS T	HE OFFER REPRE			MBERED PURCHASI AND AGREES TO PE		MAY PREVIOUSLY HAVE ME.
NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE DATE SIGNED (YYYYMMMDD) If this box is marked, supplier must sign Acceptance and return the following number of copies:												
	OUNTING AND A	APPI	ROPRIATION DATA/LO	OCAL USE								
18. ITEM	NO. 19. SO	СНЕ	DULE OF SUPPLIES/SI	ERVICE			20. QUANTITY ORDERED/ ACCEPTED*	Y	21. UNIT	22. UNIT PRICE	23. AMOUNT	
	CONT Fi KINI	TRAG irm- D OI	HEDULE CT TYPE: -Fixed-Price F CONTRACT: ly Contracts and	d Price	d Orders							
* If quantity	accepted by the				STATES OF A	AMERICA					25. TOTAL	\$36,424.50
same as qu	uantity ordered,	indic				WITTE /SI	GNED/ MIL (586)574	-7196			26. DIFFERENCES	
	rdered and encir			BY:				CON	TRACTING/O	ORDERING OFFICER		
INSI	PECTED	RI	ECEIVED A			ORMS TO CON	TRACT EXCEPT A	S NOTE				
b. SIGNA	TURE OF AUTI	HOR	IZED GOVERNMENT I	REPRESEN	NTATIVE		c. DATE (YYYYMMMI	OD)		D NAME AND TITLE SENTATIVE	OF AUTHORIZE	D GOVERNMENT
e. MAILI	NG ADDRESS C)F A	UTHORIZED GOVERN	MENT RE	PRESENTATI	VE	28. SHIP. NO.		29. D.O. VOU	CHER NO.	30. INITIALS	
f. TELEPHONE NUMBER g. E-MAIL ADDRESS				$\dashv \vdash$	PARTIAL 32. PAID BY			33. AMOUNT V	ERIFIED CORRECT FOR			
					31. PAYMENT	Γ			34. CHECK NU	MBER		
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						СОМРІ	ETE			25 BH L OF L	ADING NO	
a. DATE b. SIGNATURE AND TITLE OF CERTIFYING OFFI (YYYYMMMDD)					OFFICER	PARTIA FINAL	PARTIAL 35. BILL OF LADIN FINAL			DING NO.		
37. RECE	IVED AT		38. RECEIVED BY (P	'rint)	39. DATE RE		40. TOTAL CO	ON-	41. S/R ACCO	OUNT NUMBER	42. S/R VOUCH	ER NO.

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN DAAE20-02-G-0009/BR2C

MOD/AMD

Page 2 of 6

Name of Offeror or Contractor: General dynamics land systems inc.

SUPPLEMENTAL INFORMATION

Contract DAAE20-02-G-0009 Delivery Order BR2C

1. THE INSPECTION, ACCEPTANCE, FOB ADDRESS FOR THIS D.O. IS AS FOLLOWS:

GDLS/TALLAHASSEE
2930 COMMONWEALTH BOULEVARD
TALLAHASSEE, FLORIDA
32303

3. THE FOLLOWING GFM WILL BE PROVIDED UNDER THIS D.O.:

PART NUMBER	QUANTITY	PER	TOTAL	QUANTITY
TSPC603EMA3L	2			4
ICM7170MDG/883	3 2			4
DT28F016V080B80	10			20

3. THE NEGOTIATED PRICE FOR THIS D.O. IS ACCEPTABLE VIA GDLS E-MAIL DATED 28 JAN 2004(REFERENCE: GDLS PROPOSAL #P-2364 DATED 20 NOV 2003).

*** END OF NARRATIVE A 001 ***

CONTINUATION SHEET

Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-G-0009/BR2C MOD/AMD

Page 3 of 6

Name of Offeror or Contractor: GENERAL DYNAMICS LAND SYSTEMS INC.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 1420-01-507-6940 FSCM: 0BYC3 PART NR: LSCP260292 SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	2	EA	\$ 18,212.25000	\$36,424.50
	NOUN: PROCESSOR, GENERAL P PRON: EH3A2296EH PRON AMD: 01 ACRN: AA AMS CD: 070011				
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3175S865 W90454 J 2 DEL REL CD QUANTITY DEL DATE 001 2 10-SEP-2004				
	FOB POINT: Origin				
	SHIP TO: FREIGHT ADDRESS (W90454) XR W4GG HQ US ARMY TACOM TEAM ABRAMS PARTNERSHIP FACILITY WHSE BLDG 88037 LOGISTICS LANE FT HOOD TX 76544-5060				
	CONTRACT/DELIVERY ORDER NUMBER DAAE20-02-G-0009/BR2C				

	CONTINUATION SHEET		Refe	Page 4 of 6						
	CONTIN	UATION	SHEET	PIIN/SIII	DAAE2	0-02-G-0009/BR2C	MOD/	AMD		
Name	of Offeror or	Contractor	GENERAL DY	NAMICS LAND SYS	TEMS IN	C.				
CONTRAC	T ADMINISTRA	TION DATA								
	PRON/						JOB			
LINE	AMS CD/	OBLG					ORDER	ACCOUNTI	NG	OBLIGATED
ITEM_	MIPR	ACRN STAT	ACCOUNTING	CLASSIFICATION			NUMBER	STATION		AMOUNT
0001AA	ЕНЗА2296ЕН	AA 2	97 X4930A	C6D 6D	26KB	S20113		W56HZV	\$	36,424.50
	070011									
								TOTAL	\$	36,424.50
SERVICE							ACCOU	NTING		OBLIGATED
NAME		L BY ACRN	ACCOUNTING	CLASSIFICATION			STATI	ON		AMOUNT
Army		AA	97 X4930A	C6D 6D	26KB	S20113	W56HZ	V	\$ _	36,424.50
								TOTAL	\$	36,424.50

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN DAAE20-02-G-0009/BR2C

MOD/AMD

Page 5 of 6

Name of Offeror or Contractor: General Dynamics Land Systems inc.

CONTRACT CLAUSES

1

Regulatory Cite	Title	Date	
52.211-4514	PACKAGING REQUIREMENTS (SPECIFICATIONS/STANDARDS)	SEP/2003	

- (a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the requirements in the specification/standard defined below.
 - (b) The following requirements shall apply:
 - (1) LEVEL OF PRESERVATION: COMMERCIAL
 - (2) LEVEL OF PACKING: COMMERCIAL
 - (3) QUANTITY PER UNIT PACKAGE: 001
 - (4) SPECIFICATION/STANDARD: ASTM-D3951
- (c) The specification/standard cited is intended to give a clear and accurate description of the technical packaging requirements for the item being procured, including the procedure by which it can be determined that the requirements have been met. Specific instructions and/or tailoring of the specification/standard is detailed in the supplemental instructions below. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing and without affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO with copies to the ACO. The government reserves the right to require testing to validate alternate industrial preservation methods, materials, blocking, bracing, cushioning, and packing.

(d) Marking:

- (1) In addition to any special markings called out by the specification/standard above, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Dated 15 Dec. 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at http://www.easysoftcorp.com/products/Software/MSL.html. Insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DDDAAC.
- (e) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 6 of 6
CONTINUATION SHEET	PIIN/SIIN DAAE20-02-G-0009/BR2C MOD/AMD	

Name of Offeror or Contractor: ${\tt GENERAL}$ dynamics land systems inc.

- (f) Hazardous Materials(As applicable):
- (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) When applicable, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Code (IMDG)
Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO
P4030.19/DLAM 4145.3 (for military air shipments).

- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers. A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
- (g) SUPPLEMENTAL INSTRUCTIONS: CONTRACTOR IS REQUIRED TO PROVIDE THE TACOM PACKAGING OFFICE WITH THE PROPOSED UNIT PACK WEIGHT(LBS), UNIT PACK CUBE(CUBIC FEET), UNIT PACK SIZE(LENGTH X WIDTH X DEPTH INCHES). EMAIL TO: PACKAGING@TACOM.ARMY.MIL

[End of Clause]